

COPPERLIFE

Liquid corrector of copper deficiencies.

GUARANTEED RICHNESS

Copper (Cu) soluble in water: 5,5% w/w = **6,7% w/v**

Complexed copper (Cu): 5% w/w = **6,1% w/v**

Complexing agent: **GLUCONIC ACID**

GENERAL FEATURES

COPPERLIFE is a corrector of **Copper** deficiencies that is complexed by a Gluconic Agent. Many crops show Copper deficiencies, especially those treated with Phosphorus from phosphates. In those cases, **COPPERLIFE** used via foliar application corrects those deficiencies using smaller doses than other inorganic products. Therefore, Copper deficiencies are easily and quickly repaired with this product.

In order to avoid fungus and bacteria implantation, **COPPERLIFE** carries out a **preventive control**, as many cupric products do. When using this product in high doses, it can cause the defoliation of cotton and nurseries.

RECOMMENDATIONS FOR USE

Dose

Foliar application:

Subtropical crops (khaki, avocado, cherimoya): three treatments, 300-50 cc/hl.

Citrus, fruit-trees, olive-trees, grapevines and banana-tree: during spring the dosage is 400 c/hl; in Summer 200 cc/hl.

Vegetables: 2-3 treatment, 200-300 cc/hl.

Instructions for use

COPPERLIFE must be us via foliar application and it must be diluted in water following the indicated dosage. It must be sprayed using machines used for phytosanitary treatments.

Application season

Subtropical crops: one treatment in late February, another one in late May and the last one in late August.

Citrus, fruit-trees: it is recommended to use it during the beginning of spring and summer bud-breaks and another one during fall.

Vegetables: it is recommended to use it during the first third of the crop.

Presentation

Bottles of 1 liters and drums of 5 and 20 liters

Manufactured by:

AGROQUÍMICOS Y NUTRIENTES, S.L.